ASSESSMENT SOUNTSTAND	© Cop	terial Compo byright 2005. IPC, Bannoci ternational and Pan-Americ	kburn, Illinois	. All rights reserve	tion with lowe	r level p	parts, the	declaratio	n encor	mpasses a	all lower	level mate	erials for	which th	e item is an assembly ne manufacturer has eclaration.	
1/32-2 1.1	. • .	Web Site for Informat		rd	Form Type * Distribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa								
Supplier Information																
Company Name *		Company Unique ID	Unique ID Au	ıthority	Resp	Response Date *			Response Document ID							
Anaren Microwave						2017-03-15										
Contact Name * Title - Contact				Phone - Contact *			Email - Contact *				P .	0 1 1	Λ (1			
Lakshmi Achutha Project Engineer				315-432-8909			lakshmi.achutha@anaren.cor				olicate	Contact ·	-> Autho	orizea Re	presentative	
Authorized Representative * Title - Representative			Э	Phone - Representative *		Email	Email - Representative *				Supplier Comments or URL for Additional Information					
Lakshmi Achutha Project Engineer				315-432-8909			lakshmi.achutha@anaren.cor									
Requester Item Number		Mfr Item Number		Mfr Item Name		Effective Date		Version Manufa		facturing Site		Weight *	UC	OM	Unit Type	
		1P510S		Directional Co	oupler, 10 dB	2016-	02-19	D	East S	Syracuse		0.121	g		Each	
Alternate Recommendat	ion				Alternate			Item Co	Item Comments					•		
Manufacturing Process	s Inf	ormation														
Terminal Plating / Grid Array Material Terminal E			Terminal Ba	ase Alloy	ating	ating Peak Process Body Temp			perature Max Time at Peak Ten			perature Number of Reflow Cycles				
Tin (Sn) - immersion CU Alloy			CU Alloy	,		26			260 C		30 seconds		3			
Comments					1		1			I						
Compliant to RoHS Direct	tive 2	2011/65/EU and 201	5/863													

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
Exemptions: If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature	
Instructions: Complete all of the required fields on all pages of this form.	Select the "

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		PPM
	Name		Material	weight	Measure			Levei	Substance Category			Substance	CAS				-	+	FEIN
+1 -1	1P510S	+M -M	Dielectric	0.074	g	+C	-C	Supplier		+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.0207	g			279,33
		_				+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.0269	g			363,86
						+C	-C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.0262	g			354,59
						+C	-C	Supplier		+S	-S	Proprietary/Unknown	Proprietary		0.000164	g			2,212
		+M -M	Prepreg	0.00434	g	+C	-C	Supplier		+S	-S	Brominated Bisphenol A	26265-08-07		0.00325	g			750,00
						+C	-C	Supplier		+S	-S	Fiberglass	65997-17-3		0.00108	g			250,00
		+M -M	Copper Cladding	0.0234	g	+C	-C	В	Arsenic/Arsenic Comp	+S	ှ	Arsenic	7440-38-2		0.000015	g			650
						+C	-C	Supplier		+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000002	g			100
						+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0234	g			998,24
						+C	-C	Supplier		+S	-S	Zinc (Zn)	7440-66-6		0.000023	g			999
						+C	-C	Supplier		+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Copper Plating	0.0188	g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8	·	0.0188	g			1,000,0
		+M-M	Tin Plating	0.00011	2 g	+C	-c	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.000112	g			1,000,0