	© Co	terial Compo pyright 2005. IPC, Bannoo nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lower	level	parts, the	declarat	ion enco		er level mate	erials for	which th	item is an assembly e manufacturer has eclaration.	
1/32-2 1.1		Web Site for Informat //www.ipc.org/IPC-1		m Type * tribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat								
Supplier Information															
Company Name * Company Unique ID Anaren Microwave							onse Dat -03-12	9 *		Response Doci	ument ID				
Contact Name *         Title - Contact           Paul Stockwell         Project Engineer							l - Contac stockwell	-	en.com	Duplicate Contact -> Authorized Representative					
Authorized Representative *         Title - Representative           Paul Stockwell         Project Engineer		e	Phone - Representative * 315-432-8909			l - Repres stockwell			Supplier Comm	ents or UR	L for Add	itional In	formation		
Requester Item Number	Requester Item Number Mfr Item Number			Mfr Item Name			ve Date	Versior	n Manufa	acturing Site	Weight *	UO	М	Unit Type	
		JP520S		Pico Xinger			10-22	В	East S	syracuse	0.135	35 g		Each	
Alternate Recommenda	Alternate Recommendation						Alternate Iter			Comments					
Manufacturing Proces	s In	formation													
Terminal Plating / Grid Array Material Terminal E			Base Alloy J-STD-020 MSL Ra		ting Peak Process E		cess Boo	ly Temper	rature Max Time	at Peak Tem	perature	Number c	f Reflow Cycles		
Tin (Sn) - immersion     CU Allog       Comments     Cu Allog			<u>, 1</u>			26			;	<b>30</b> se	econds	3			
Compliant to RoHS Direc	tive	2011/65/EU and 201	5/863												

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent change	Lock Supplier Fields
<b>RoHS Material Co</b>	mposition Declarati	on				Declaration Type *	Simplified
		t of 0.1% by mass (1000 PPM) ir yl benzyl phthalate (BBP), Dibuty					nated Diphenyl Ethers (PBDE), Bis rial for Cadmium
date that Supplier completes t Supplier may have relied on in Supplier agrees that, at a mini written agreement with respect	his form. Supplier acknowledge nformation provided by others in imum, its suppliers have provide	s that Company will rely on this ce completing this form, and that Sup d certifications regarding their cont and conditions of that agreement,	ertification in determining the c oplier may not have independe tributions to the part, and thos	ompliance of its products wit ntly verified such informatior e certifications are at least as	n European Union member state . However, in situations where S s comprehensive as the certificat	laws that implement the RoHS Di Supplier has not independently ver ion in this paragraph. If the Comp	its knowledge and belief, as of the rective. Company acknowledges that ified information provided by others, any and the Supplier enter into a Supplier's liability and the Company's
RoHS Declaration *	1 - Item(s) does not contain F	RoHS restricted substances per t	the definition above			Supplier Acceptance * Ac	cepted
Exemptions: If the decl above and choose all ap		in RoHS restricted substanc	ces per the definition ab	ove except for defined	RoHS exemptions, then s	elect the corresponding res	ponse in the RoHS Declaration
Declaration Signa	ature						
	•	ields on all pages of this and click on Submit Forn				wn. This will display the	signature area. Digitally sign
Supplier Digital Signa	ture						

## Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt	Weight		Tolerance		PPM
	Name		Material	Weight	Measure			oubstance outegory			oubstance			Weight	Measure	-	+	
+I -	JP520S	+M -M	Tin Plating	0.000438	g	+C -C	Supplier	Tin (Sn)	+S	-S	Tin (Sn)	7440-31-5		0.000438	g			1,000,0
		+M -M	Copper Plating	0.02590 <sup>,</sup>	g	+C -C	Supplier	Copper (Cu)	+S	Ş	Copper (Cu)	7440-50-8		0.025901	g			1,000,0
		+M -M	Copper Cladding	0.05390	ġ	+C -C	в	Arsenic/Arsenic Com	+S	-S	Arsenic	7440-38-2		0.000035	g			650
						+C -0	Supplier	Chromium (Cr) (non-	+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000005	g			100
						+C -0	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.053811	g		1	998,24
						+C -0	Supplier	Zinc (Zn)	+S	-S	Zinc (Zn)	7440-66-6		0.000053	g		1	999
						+C -0	Supplier	Chromium (Cr) (hexa	+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Dielectric	0.054254	g	+C -C	Supplier	Titanium dioxide (TiO	+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.008545	g			157,50
						+C -0	Supplier	Brominated Bisphend	+S	-S	Brominated Bisphenol	26265-08-07		0.003252	g			59,941
						+C -0	Supplier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		0.022305	g			411,13
						+C -0	Supplier	Fiberglass	+S	-S	Fiberglass	65997-17-3		0.001084	g			19,980
						+C -0	Supplier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		0.018917	g			348,67
						+C -0	Supplier	Proprietary/Unknown	+S	-S	Proprietary/Unknown	Proprietary		0.000149	g			2,760