ADDREST ON DONNESTING	© Co	terial Compo pyright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the o	declaration	n encompas	sses all lowe	r level mate		the item is an assembly the manufacturer has declaration.	
1752-2 1.1 IPC Web Site for Information on IPC-http://www.ipc.org/IPC-175x					C-1752 Standard			-	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa					
Supplier Information														
Company Name *		Company Unique ID		Unique ID Authority			onse Date	*	Res	ponse Docu	ıment ID			
Anaren Microwave							08-11							
Contact Name *	Title - Contact		Phone - Contact *			Email - Contact *			Dunlingto	Carstant	. A 415 a mi = a al	Danuarantativa		
Lakshmi Achutha	Project Engineer		315-432-8909			mi.achuth	a@anar	en.com	Duplicate	Contact	-> Authorizea	Representative		
Authorized Representative * Title - Representativ)	Phone - Representative *			l - Represe	entative	* Sup	plier Comm	ents or URI	for Additiona	I Information	
Lakshmi Achutha		Project Engineer		315-432-890	9	laksh	mi.achuth	a@anar	en.com					
Requester Item Number		Mfr Item Number		Mfr Item Name	Effecti	ve Date Version		Manufactur	ing Site	Weight *	UOM	Unit Type		
		X4C30F1-30S		30dB Directional Coupler		2015-	015-06-09 A		East Syracuse		0.051	g	Each	
Alternate Recommendation						Alterna			te Item Comments					
Manufacturing Proces	s Inf	formation												
Terminal Plating / Grid Array Material Terminal E			Terminal B	Base Alloy J-STD-020 MSL Rat			Peak Proce	ess Body	Temperature	e Max Time a	at Peak Tem	er of Reflow Cycles		
Tin (Sn) - immersion CU All Comments			CU Alloy	y 1			260				30 se	econds 3		

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
Exemptions: If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature	
Instructions: Complete all of the required fields on all pages of this form.	Select the "

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Woight	Unit of Measure			Level	Substance Category			Substance	CAS	Exempt	Woight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure			Levei	Substance Category			Substance	CAS	Exempt	weight	Measure	-	+	FFIVI
+1 -1	X4C30F1-30S	+M -M	Dielectric	0.0359	g	+C	-C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.0208	g			580,68
		_				+C	-C	Supplier		+S	-S	Proprietary/Unknown	Proprietary		0.000813	g			22,662
						+C	-C	Supplier		+S	-S	Ceramic Filler	Proprietary		0.0142	g			396,65
		+M -M	Copper Cladding	0.00572	g	+C	-C	В	Arsenic/Arsenic Comp	+S	-S	Arsenic	7440-38-2		0.000003	g			650
						+C	-C	Supplier		+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000000	g			100
						+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.00571	g			998,24
						+C	-C	Supplier		+S	-S	Zinc (Zn)	7440-66-6		0.000005	g			999
						+C	- C	Supplier		+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Copper Plating	0.00946	g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.00946	g			1,000,0
		+M-M	Tin Plating	0.000046	ig	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5	_	0.000046	g			1,000,0