	© Co	terial Compo pyright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lowe	r level p	arts, the	declaration	on encomp	asses all	l lower lev	vel materials f	or which	the item is an assembly the manufacturer has declaration.		
1/3Z-Z  .		Web Site for Informat	rd	71				claration Class * lss 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa								
Supplier Information																
Company Name * Company Unique ID			Unique ID Authority			Response Date *				Response Document ID						
Anaren Microwave						2020-	04-27									
Contact Name *		Title - Contact		Phone - Contact *		Email	Email - Contact *			D	O-	t t A t		D		
Gulsen Gungor		Project Engineer		315-233-5510		gulsen.gungor@ttm.com			om	Dupi	licate Co	ontact -> Aut	norizea	Representative		
Authorized Representative * T		Title - Representative		Phone - Representative *		Email - Representative *			* St	Supplier Comments or URL for Additional Information						
Gulsen Gungor Pr		Project Engineer		315-233-5510		gulsen.gungor@ttm.com										
Requester Item Number		Mfr Item Number		Mfr Item Name		Effective Date		Version	Manufact	uring Site	We	eight *	JOM	Unit Type		
		X4C30K1-20S	20dB Direc		nal Coupler	2020-0	)4-27	Α	East Syra	acuse	0.0	2506	l	Each		
Alternate Recommenda	nate Recommendation					Alte		Alternate	ate Item Comments		•	•				
Manufacturing Proces	s In	formation				•										
Terminal Plating / Grid Array Material		Terminal B	ase Alloy	J-STD-020 MSL Rating		Peak Process Body Tempe		/ Temperati	rature Max Time at Peak Ter		ak Temperatur	perature Number of Reflow Cyc				
Tin (Sn) -immersion		CU Alloy	,	1		260		<b>260</b> C	С		30 seconds					
Comments					1											
Compliant to RoHS 2 Dire	ectiv	e 2011/65/EU of the	European	Parliament	and of the Coun	cil of 8	June 201	1 & Con	nmission	Delegat	ed Direct	ive 2015/863	/EU of	31 March 2015.		

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Custom Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC RoHS 2 (Directive 2011/65/EU & 2015/863/EU) Definition Addendum: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. Supplier Acceptance \* Accepted 1 - Item(s) does not contain RoHS restricted substances per the definition above **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

\* Required Field

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Level	Substance Category			Substance	CAS	Exempt		Unit of Measure	Tolerance		PPM
	Name		Material	weight	Unit of Measure		Level	Substance Category			Substance	CAS				-	+	
+1 -1	X4C30K1-20S	+M -M	Tin Plating	0.000037	<b>7</b> g	+C -C	Supplier	Tin Plating	+S	-S	Tin (Sn)	7440-31-5		0.000037	g			1,000,0
		+M -M	Copper Plating	0.004876	<b>i</b> g	+C -C	Supplier	Copper Plating	+S	-S	Copper (Cu)	7440-50-8		0.004876	g			1,000,0
		+M -M	Copper Cladding	0.00312 <sup>-</sup>	g	+C -C	В	Arsenic/Arsenic Com	+S	-s	Arsenic	7440-38-2		0.000002	g			650.14
		•				+C -0	Supplier	Copper Cladding	+S	-s	Chromium (Cr) (non-he	7440-47-3		0.000000	g			100.40
						+C -0	Supplier	Copper Cladding	+S	-s	Copper (Cu)	7440-50-8		0.003115	g			998,24
						+C -0	Supplier	Copper Cladding	+S	-s	Zinc (Zn)	7440-66-6		0.000003	g			999.06
						+C -0	Supplier	Copper Cladding	+S	-s	Chromium (Cr) (hexava	18540-29-9		0	g			1.2551
		+M -M	Dielectric	0.017026	<b>i</b> g	+C -C	Supplier	Dielectric	+S	-s	Titanium dioxide (TiO2)	13463-67-7		0.005171	g			303,74
			•	•	•	+C -0	Supplier	Dielectric	+S	-s	Silica Fused (SiO2)	60676-86-0		0.004749	g			278,95
						+C -0	Supplier	Dielectric	+S	-s	Polytetrafluoroethylene	9002-84-0		0.006384	g			374,98
						+C -0	Supplier	Dielectric	+S	-s	Proprietary/Unknown	Proprietary		0.000720	g			42,315