	© Co	terial Compo pyright 2005. IPC, Bannoc tternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	er level	parts, the	declarati	ion encol		er level mate	erials for	which th	item is an assembly e manufacturer has eclaration.			
1/32-2 .		Web Site for Informat		-1752 Standa	rd		m Type * tribute			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informat							
Supplier Information																	
Company Name * Company Unique ID Anaren Microwave				Unique ID Authority			onse Dat ·10-26	e *		Response Doci	ument ID						
Contact Name * Title - Contact Paul Stockwell Project Engineer				Phone - Contact * 315-432-8909			l - Contac stockwell	-	en.com	Duplicate Contact -> Authorized Representative							
Authorized Representativ Paul Stockwell		Title - Representative Project Engineer	e	-			Email - Representative * paul.stockwell@anaren.com			Supplier Comm	ents or UR	_ for Add	itional In	formation			
Requester Item Number	ber Mfr Item Number		Mfr Item Name)	Effect	ve Date	Version Manufa		acturing Site	Weight *	UO	М	Unit Type			
	XC0900A-20S			Directional Co	oupler, 20 dB	2004-	02-16	С	East S	Syracuse	ise 0.503			Each			
Alternate Recommendation								Alternat	e Item Co	n Comments							
Manufacturing Proces	s Inf	formation															
Terminal Plating / Grid Array Material Terminal E			Base Alloy J-STD-020 MSL Ra			ting Peak Process Bod			rature Max Time	at Peak Temperature Number			of Reflow Cycles				
Tin (Sn) - immersion CU All Comments			CU Alloy	/ 1						;	30 se	econds	3				
Compliant to RoHS Direc	tive	2011/65/EU and 201	5/863														

Export Data	all of the Constant of the Reset Form Lock the fields on this form to prevent changes Lock Supplier Fields											
RoHS Material Composition Declaration Declaration Simplified												
RoHS Directive 2002/95/ECRoHS Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium												
Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate meth date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verifie Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certificat written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies for issues that arise regarding information the Supplier provides in this form.	e of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that ed such information. However, in situations where Supplier has not independently verified information provided by others, itions are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a											
RoHS Declaration * 1 - Item(s) does not contain RoHS restricted substances per the definition above	Supplier Acceptance * Accepted											
Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions.												
Declaration Signature												
Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.												
Supplier Digital Signature												

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	VVOIGht	Unit of Measure	Tolerance		PPM
	Name		Material	Weight	Measure		Level					oubstance	UAU				-	+	
+I -I	XC0900A-20S	+M -M	Dielectric	0.369	g	+C	-C	Supplier		+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.051	g			138,03
						+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.174	g			472,29
						+C	-C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.143	g			386,98
						+C	-C	Supplier		+S	-S	Proprietary/Unknown	Proprietary		0.00099	g			2,683
		+M -M	Copper Cladding	0.0733	g	+C	-C	В	Arsenic/Arsenic Com	+S	-s	Arsenic	7440-38-2		0.000047	g			650
			-			+C	-C	Supplier		+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000007	g			100
						+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0732	g			998,24
						+C	-C	Supplier		+S	-S	Zinc (Zn)	7440-66-6		0.000073	g			999
						+C	-C	Supplier		+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Copper Plating	0.0605	g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0605	g			1,000,0
		+M -M	Tin Plating	0.000434	g	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.000434	g			1,000,0