ASSOCIATION COMMISSIONS	© Cop	terial Compo byright 2005. IPC, Bannoc ternational and Pan-Ameri	kburn, Illinois	. All rights reserve	tion with lowe	level	parts, the	declaratio	n encor	mpasses a	II lower I	level mate	rials for wh		s an assembly nufacturer has tion.	
1752-2 1.1	rd	71			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa											
Supplier Information																
Company Name * Anaren Microwave		Company Unique ID		Unique ID Au	ıthority	Resp.	onse Date 04-17) *		Response	e Docum	ent ID				
Contact Name * Title - Contact Sarvesh Nair Project Engineer				Phone - Contact * 315-432-8909			Email - Contact * sarvesh.nair@anaren.com				Duplicate Contact -> Authorized Representative					
Authorized Representative * Title - Representative Sarvesh Nair Project Engineer			е	Phone - Representative * 315-432-8909			Email - Representative * sarvesh.nair@anaren.com				Commen	ts or URL	for Additio	nal Informa	ition	
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date Version			on Manufacturing		e V	Veight *	UOM	Unit	Туре		
11305-3S		11305-3S		90 Deg Hybrid	d Coupler	2017-		В	East S	Syracuse		.582	g	Each	า	
Alternate Recommendat	ion						Alternate Item			mments						
Manufacturing Process	s Inf	ormation														
Terminal Plating / Grid Array M	lateria	al	Terminal B	ase Alloy	J-STD-020 MSL R	ating	Peak Proc	ess Body	Temper	ature Max	Time at I	Peak Temp	erature Nu	mber of Refle	ow Cycles	
Tin (Sn) - immersion Comments CU Alloy			1	1			260				30 se	conds 3				
Compliant to RoHS Direct	tive 2	2011/65/EU and 201	5/863													

Save the fields in this form to a file	Export Data	Import fields from a file into this form	Import Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
						ated Biphenyls (PBB), Polybrominat 00 PPM) of homogeneous material	
ate that Supplier completes t upplier may have relied on in upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	that Company will rely on this completing this form, and that Sucertifications regarding their condictions of that agreement	ertification in determining the couplier may not have independent industributions to the part, and those	compliance of its products with ently verified such information se certifications are at least as	European Union member state However, in situations where somethen sive as the certification.	n is true and correct to the best of its I laws that implement the RoHS Direct Supplier has not independently verified ion in this paragraph. If the Company ie sole and exclusive source of the Su	ive. Company acknowledges that d information provided by others, and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per	the definition above			Supplier Acceptance * Acce	pted
xemptions: If the decl bove and choose all ap		RoHS restricted substar	ices per the definition ab	ove except for defined	RoHS exemptions, then so	elect the corresponding respon	nse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Comple	ete all of the required fie	lds on all pages of this	form. Select the "Ac	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the sig	nature area. Digitally sign

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of		Lev	rol .	Substance Category Substance			Substance	CAS	Evennt	Weight	Unit of	Tolerance		PPM
	Name		Material	weight	Measure		Lev	/ei			Substance	CAS	Exempt	weight	Measure	-	+		
+1 -1	11305-3S	+М -М	Tin Plating	0.00030	2 g	+C -0	Supp	plier	Tin (Sn)	+S	-S	Tin (Sn)	7440-31-5		0.000302	g			1,000,0
	-	+M -M	Copper Plating	0.05381	s g	+C -(Supp	plier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.053581	g			1,000,0
		+M -M	Copper Cladding	0.09595	9 g	+C -(В		Arsenic/Arsenic Comp	+S	-S	Arsenic	7440-38-2		0.000044	g			459
						+C -(Supp	plier	Chromium (Cr) (non-	+S	-S	Chromium (Cr) (non-he	7440-47-3		0.000006	g			71
						+C -(Supp	plier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.095840	g			998,76
						+C -(Supp	plier	Zinc (Zn)	+S	-S	Zinc (Zn)	7440-66-6		0.000067	g			705
						+C -(Supp	plier	Chromium (Cr) (hexa	+S	-S	Chromium (Cr) (hexava	18540-29-9		0.000000	g			1
		+M -M	Dielectric	0.41449	9 g	+C -(Supp	plier	Titanium dioxide (TiO	+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.016486	g			39,775
						+C -(Supp	plier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		0.209560	g			505,57
						+C -(Supp	plier	Fiberglass	+S	-S	Fiberglass	65997-17-3		0.007548	g			18,212
						+C -(Supp	plier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		0.179750	g			433,65
						+C -(Supp	plier	Proprietary/Unknown	+S	-S	Proprietary/Unknown	Proprietary		0.001152	g			2,781
		+M -M	Prepreg	0.01769	0 g	+C -0	Supp	plier	Brominated Bispheno	+S	-s	Brominated Bisphenol A	26265-08-07		0.013267	g			750,00
						+C -(Supp	plier	Fiberglass	+S	-S	Fiberglass	65997-17-3		0.004422	g			250,00