	© Co	terial Compo pyright 2005. IPC, Bannoc nternational and Pan-Ameri	kburn, Illinois	. All rights reserv	tion with lowe	r level p	arts, the	declaration	on encor	npasses a	ll lower le	evel mate	erials for	which th	e item is an assembly ne manufacturer has eclaration.	
1/32-2 1.1	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x								Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information																
Company Name * Company Unique II			Unique ID Authority			Response Date *				Response	e Docume	ent ID				
Anaren Microwave					2016-	08-11										
Contact Name *	Title - Contact		Phone - Cor	Email	- Contac	t *		-	ı: , <u>c</u>		Λ (1					
Sarvesh Nair		Project Engineer		315-432-890	sarve	sarvesh.nair@anaren.com				olicate C	contact ·	-> Autho	rizea Re	presentative		
Authorized Representative *		Title - Representative		Phone - Representative *		Email	Email - Representative *			Supplier Comments or URL for Additional Information						
Sarvesh Nair		Project Engineer		315-432-8909		sarvesh.nair@anaren.com										
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	ve Date	Version	Manufa	facturing Site		/eight *	UC	DM	Unit Type		
		X3C09F1-03S		3dB Hybrid C	2014-0	)7-15	В	East Syracu		0.	.069	g		Each		
Alternate Recommenda	lation				Alternate			e Item Co	m Comments							
Manufacturing Proces	s In	formation														
Terminal Plating / Grid Array Material			Terminal B	ase Alloy	J-STD-020 MSL Rating		Peak Process Body Temp		/ Temper	erature   Max Time at Pe		Peak Temp	perature	of Reflow Cycles		
Tin (Sn) - immersion CU A			CU Alloy	,	2				<b>260</b> C		<b>30</b> s		econds 3			
Comments																
Compliant to RoHS 2 Dire	ectiv	e 2011/65/EU of the	Europear	Parliament	and of the Coun	cil of 8	June 201	1 & Con	nmissic	n Delega	ted Direc	ctive 201	15/863/E	U of 31	March 2015.	

Save the fields in Import fields from a Clear all of the Lock the fields on this **Export Data** Import Data Reset Form Lock Supplier Fields this form to a file file into this form fields on this form form to prevent changes **RoHS Material Composition Declaration Declaration Type \*** Custom Rohs Directive Rohs Definition: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenvls (PBB). Polybrominated Diphenyl Ethers (PBDE) and quantity limit of 0.01% by mass (100 PPM) of homogeneous material for Cadmium 2002/95/EC RoHS 2 (Directive 2011/65/EU & 2015/863/EU) Definition Addendum: Quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP). Supplier certifies that it gathered the information it provides in this form concerning RoHS restrictive substances using appropriate methods to ensure its accuracy and that such information is true and correct to the best of its knowledge and belief, as of the date that Supplier completes this form. Supplier acknowledges that Company will rely on this certification in determining the compliance of its products with European Union member state laws that implement the RoHS Directive. Company acknowledges that Supplier may have relied on information provided by others in completing this form, and that Supplier may not have independently verified such information. However, in situations where Supplier has not independently verified information provided by others, Supplier agrees that, at a minimum, its suppliers have provided certifications regarding their contributions to the part, and those certifications are at least as comprehensive as the certification in this paragraph. If the Company and the Supplier enter into a written agreement with respect to the identified part, the terms and conditions of that agreement, including any warranty rights and/or remedies provided as part of that agreement, will be the sole and exclusive source of the Supplier's liability and the Company's remedies for issues that arise regarding information the Supplier provides in this form. Supplier Acceptance \* Accepted 1 - Item(s) does not contain RoHS restricted substances per the definition above **RoHS Declaration \*** Exemptions: If the declared item does not contain RoHS restricted substances per the definition above except for defined RoHS exemptions, then select the corresponding response in the RoHS Declaration above and choose all applicable exemptions. **Declaration Signature** 

Instructions: Complete all of the required fields on all pages of this form. Select the "Accepted" on the Supplier Acceptance drop-down. This will display the signature area. Digitally sign the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Woight	Unit of Measure			Level	Substance Category			Substance	CAS	Evenne	Weight	Unit of	Tolerance		PPM
	Name		Material	Weight				Levei	Substance Category			Substance	CAS	Exempt		Measure	-	+	PPIVI
+1 -1	X3C09F1-03S	+M -M	Dielectric	0.0429	g	+C	-c	Supplier		+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.00398	g			92,824
	•			•		+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.00983	g			229,32
						+C	-C	Supplier		+S	-s	Fiberglass	65997-17-3		0.00541	g			126,16
						+C	<b>-</b> C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.00841	g			196,32
						+C	<b>-</b> C	Supplier		+S	-S	Resin	Proprietary		0.0142	g			330,62
						+C	-C	Supplier		+S	-s	Proprietary/Unknown	Proprietary		0.000056	g			1,324
						+C	-C	Supplier		+S	-s	Ceramic Filler	Proprietary		0.001	g			23,416
		+M -M	Internal Copper	0.0126	g	+C	-C	Supplier		+S	-S	Tin (Sn)	7440-31-5		0.000001	g			113
				•		+C	-C	В	Arsenic/Arsenic Comp	+S	-s	Arsenic	7440-38-2		0.000001	g			110
						+C	-C	Supplier		+S	-s	Chromium (Cr) (non-he	7440-47-3		0.000001	g			94
						+C	-C	Supplier		+S	-s	Copper (Cu)	7440-50-8		0.0126	g			999,20
						+C	-C	Supplier		+S	-s	Chromium (Cr) (hexava	18540-29-9		0	g			0
						+C	-C	Supplier		+S	-s	Zinc (Zn)	7440-66-6		0.000005	g			476
		+M -M	External Copper	0.0137	g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.0137	g			1,000,0
		+M -M	Tin Plating	0.00005	<b>9</b> g	+C	-C	Supplier		+S	-s	Tin (Sn)	7440-31-5		0.000059	g			1,000,0