	© Cop	terial Compo pyright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lowe	r level	parts, the	declaratio	on enco		er level material	s for which	the item is an assembly the manufacturer has seclaration.		
1752-2 1.1		Web Site for Informat		-1752 Standa	ard		Form Type * Declaration Class * Distribute Class 6 - RoHS Yes/No, Homogeneous Materia						als and Mfg Informa		
Supplier Information															
Company Name * Company Unique ID				Unique ID A	uthority	Response Date *				Response Document ID					
Anaren Microwave					2022-	03-23									
Contact Name *	Title - Contact		Phone - Contact *			I - Contac	t *		Dunlingto	Contact	ا ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	Danuagantativa			
Gulsen Gungor	Project Engineer		315-233-5510			Gulsen.Gungor@ttm.com			Duplicate	Contact -> F	Authorizea	Representative			
Authorized Representative * Title - Represe			tive Phone - Representative *				l - Repres	entative	*	Supplier Comm	ents or URL fo	r Additiona	I Information		
Gulsen Gungor	Project Engineer		315-233-551	Gulsen.Gungor@ttm.com			om								
Requester Item Number		Mfr Item Number		Mfr Item Name	Effective Date V		Version	Manuf	acturing Site	Weight *	UOM	Unit Type			
		X4C25J1-03G		90° Hybrid C	2022-	03-23	A	East S	Syracuse	0.0050679	g	Each			
Alternate Recommendation							Alternate Item C			omments					
Manufacturing Proces	s Inf	formation													
Terminal Plating / Grid Array Material Terminal E			Terminal B	ase Alloy	ating	ating Peak Process Body			rature Max Time	at Peak Tempera	er of Reflow Cycles				
Nickel/Gold (Ni/Au) - ENIG CU AI			CU Alloy	y  1			260			30 seconds 3					
Comments							1								

Compliant to RoHS 2 Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 and Commission Delegated Directive 2015/863/EU of 31 March 2015.

Save the fields in this form to a file	Export Data	Import fields from a file into this form		Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Custom
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					ated Biphenyls (PBB),
DIBP). Supplier certifies that is a date that Supplier complet at Supplier may have relied thers, Supplier agrees that, a written agreement with response.	it gathered the information it provices this form. Supplier acknowledgon information provided by others it a minimum, its suppliers have prect to the identified part, the terms	dendum: Quantity limit of 0.1% by mass (100 des in this form concerning RoHS restrictive es that Company will rely on this certification in completing this form, and that Supplier movided certifications regarding their contribuand conditions of that agreement, including the Supplier provides in this form.	substances using a n in determining the nay not have indeper tions to the part, and	appropriate methods to ensur compliance of its products windently verified such informated those certifications are at I	re its accuracy and that such info with European Union member station. However, in situations whe least as comprehensive as the c	ormation is true and correct to the best ate laws that implement the RoHS Dire are Supplier has not independently veriful ertification in this paragraph. If the Con	of its knowledge and belief, as of ctive. Company acknowledges fied information provided by npany and the Supplier enter into
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definition	on above			Supplier Acceptance * Accep	oted
<b>exemptions:</b> If the declease and choose all ap		RoHS restricted substances per th	ne definition abo	ve except for defined	RoHS exemptions, then so	elect the corresponding respon-	se in the RoHS Declaration
Declaration Signa	iture						
nstructions: Comple	ete all of the required fie	lds on all pages of this form. S	elect the "Acce	epted" on the Suppli	er Acceptance drop-do	wn. This will display the sigr	nature area. Digitally sign

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Evemnt	Weidht	Unit of Measure	Tolerance		PPM
	Name		Material	weight	Measure			Levei				Substance	CAS	Exempt			-	+	FFIN
+1 -1	X4C25J1-03G Rev A	+M -M	CIC	0.00104	<b>4</b> g	+C	.c	Supplier	Iron (Fe)	+\$	-S	Iron (Fe)	7439-89-6		0.000483	g			462,63
	-					+C	-C	Supplier	Magnanese (Mn)	+S	-S	Magnanese (Mn)	7439-96-5		0.000003	g			3,559
						+C	-C	В	Nickel (Ni)	+S	-s	Nickel (Ni)	7440-02-0		0.000269	g			258,00
						+C	-C	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.000288	g			275,80
		+M -M	External Copper	0.00000	<b>s</b> g	+C	.c	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.000008	g			1,000,0
		+M -M	External Dielectr	0.00049	<b>9</b> g	+C	.c	Supplier	Tri-allyl-isocyanurate	+S	-S	Tri-allyl-isocyanurate	1025-15-6		0.000061	g			123,00
						+C	-C	Supplier	Initiator	+S	-S	Initiator	1068-27-5		0.000004	g			8,600
						+C	-C	Supplier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		0.000265	g			530,00
						+C	-C	Supplier	Elastomer	+S	-S	Elastomer	9003-55-8		0.000025	g			51,900
						+C	-C	Supplier	Poly-phenylene oxide	+S	-S	Poly-phenylene oxide	92-71-7		0.000143	g			286,50
		+M -M	Gold Plating	0.00000	lg	+C	.c	Supplier	Gold (Au)	+S	-S	Gold (Au)	7440-57-5		0.000001	g			1,000,0
		+M -M	Internal Copper	0.00090	<b>i</b> g	+C	.c	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.000906	g			1,000,0
		+M -M	Internal Dielectri	0.00252	<b>s</b> g	+C	·C	Supplier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		0.001246	g			493,00
						+C	-C	Supplier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		0.001198	g			474,00
						+C	-C	Supplier	Proprietary/Unknown	+S	-S	Proprietary/Unknown	Proprietary		0.000083	g		_	33,000
		+M -M	Nickel Plating	0.00003	<b>O</b> g	+C	-C	В	Nickel (Ni)	+S	-S	Nickel (Ni)	7440-02-0		0.000030	g			999,50
		+M -M	Via	0.000049	9g	+C	.c	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.000049	g			1,000,0