ASSOCIATION CONNECTING ELECTRONICS INDUSTRIES®	© Co	terial Compo pyright 2005. IPC, Bannocl ternational and Pan-Americ	kburn, Illinois	. All rights reserv	tion with lowe	level p	parts, the	declaratio	on encon		ver level mate	erials for which	f the item is an assembly the manufacturer has is declaration.	
1752-2 1.1	C-1752 Standard			· · · · · ·   · ·			Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materials and Mfg Informa							
Supplier Information														
Company Name *		Company Unique ID		Unique ID Authority			Response Date *			Response Do	cument ID			
Anaren Microwave						2016-07-26								
Contact Name *	Title - Contact		Phone - Contact *			Email - Contact *			Dunlingt	- Comtont	. A4b. a	Denvesentative		
Casey Hennigan	Project Engineer		315-432-8909			.hennigaı	n@anar	en.com	Duplicat	e Contact	-> Autnorizea	Representative		
Authorized Representati	Title - Representative	9	Phone - Rep	resentative *	ntative * Email - F			mail - Representative *			for Additiona	al Information		
Casey Hennigan	Project Engineer		315-432-890	casey	sey.hennigan@anaren.com									
Requester Item Number	r	Mfr Item Number		Mfr Item Name	Effectiv	ive Date Version		Manufacturing Site		Weight *	UOM	Unit Type		
		BD2425N50200AHF	F 0404 Balun,		un, 50-200 ohm		07-26	A East		yracuse	0.00177	g	Each	
Alternate Recommenda				Alternate			e Item Comments							
Manufacturing Proces	ss In	formation												
Terminal Plating / Grid Array Material Termina			Terminal B	Base Alloy J-STD-020 MSL Ra			ating Peak Process Bod		Tempera	ature Max Time	e at Peak Tem	perature Numb	per of Reflow Cycles	
,			CU Alloy	oy 1			260				<b>30</b> Se	seconds 3		
Comments														

Save the fields in this form to a file	Export Data	Import fields from a file into this form	rt Data	Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Simplified
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					inated Biphenyls (PBB),
ate that Supplier completes t upplier may have relied on ir upplier agrees that, at a mini ritten agreement with respec	his form. Supplier acknowledges formation provided by others in commum, its suppliers have provided	is form concerning RoHS restrictive substanthat Company will rely on this certification in ompleting this form, and that Supplier may no certifications regarding their contributions to ad conditions of that agreement, including an provides in this form.	determining the co ot have independe the part, and those	ompliance of its products with ntly verified such information e certifications are at least as	European Union member state However, in situations where S comprehensive as the certificati	laws that implement the RoHS Dire supplier has not independently verifi on in this paragraph. If the Compar	ctive. Company acknowledges that ed information provided by others, ny and the Supplier enter into a
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definitio	n above			Supplier Acceptance * Acc	epted
<b>Exemptions:</b> If the dec bove and choose all ap		RoHS restricted substances per th	ne definition abo	ove except for defined	RoHS exemptions, then so	elect the corresponding resp	onse in the RoHS Declaration
Declaration Signa	iture						
nstructions: Compl	ete all of the required fie	lds on all pages of this form. So	elect the "Acc	cepted" on the Suppli	er Acceptance drop-do	wn. This will display the s	gnature area. Digitally sign

Declaration Signature	
<b>Instructions:</b> Complete all of the required fields on all pages of this form.	Select the "

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

## **Homogeneous Material Composition Declaration for Electronic Products**

**Subltem Instructions:** The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

**Substance Instructions:** [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem			Homogeneous	Wainbt	Unit of			Laval	Substance Category			Substance	CAS	Evennt	Wainht	Unit of	Tolerance		PPM
	Name		Material	Weight	Measure			Level	Substance Category			Substance	CAS	Exempt		Measure	-	+	PPIVI
+1 -1	BD2425N50200AHF	-М -М	External Copper	0.00005	<b>3</b> g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.000053	g			1,000,0
	•	-M	External Dielectr	0.00021	<b>S</b> g	+C	-C	Supplier		+S	-S	Tri-allyl-isocyanurate	1025-15-6		0.000026	g			123,00
						+C	-C	Supplier		+S	-S	Initiator	1068-27-5		0.000001	g			8,600
						+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.000114	g			530,00
						+C	-C	Supplier		+S	-S	Elastomer	9003-55-8		0.000011	g			51,900
						+C	-C	Supplier		+S	-S	Poly-phenylene oxide	92-71-7		0.000061	g			286,50
	•	-M	Internal Copper	0.00022	<b>7</b> g	+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.000227	g			1,000,0
	•	-M	Internal Dielectri	0.00082	5g	+C	-C	Supplier		+S	-S	Silica Fused (SiO2)	60676-86-0		0.000407	g			493,00
						+C	-C	Supplier		+S	-S	Polytetrafluoroethylene	9002-84-0		0.000391	g			474,00
						+C	-C	Supplier		+S	-S	Proprietary/Unknown	Proprietary		0.000027	g			33,000
	•	-M	CIC	0.00043	1g	+C	-C	Supplier		+S	-S	Iron (Fe)	7439-89-6		0.000199	g			462,63
						+C	-C	Supplier		+S	-s	Magnanese (Mn)	7439-96-5		0.000001	g			3,559
						+C	-C	В	Nickel (external applic	<b>\$</b>	-S	Nickel	7440-02-0		0.000111	g			258,00
						+C	-C	Supplier		+S	-S	Copper (Cu)	7440-50-8		0.000119	g			275,80
	•	-М-М	Nickel Plating	0.00002	1g	+C	-C	A	Lead/Lead Compound	+S	Ş	Lead	7439-92-1		0.000000	g			500
						+C	-C	В	Nickel (external applic	+S	-S	Nickel	7440-02-0		0.000021	g			999,50
	4	-M	Gold Plating	0.00000	<b>0</b> g	+C	-c	Supplier		+S	-s	Gold (Au)	7440-57-5		0.000000	g			1,000,0