ADDODIATION GONNEGTING	© Co	terial Compo opyright 2005. IPC, Bannoo nternational and Pan-Ameri	kburn, Illinois	s. All rights reserv	tion with lowe	r level p	arts, the	declaratio	n encompa	sses all low	ver level materia	als for whi	if the item is an assemble the manufacturer hathis declaration.		
1/32-2 1.1	752-2 1.1 IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x								Declaratio Class 6 - R	lo, Homogene	eneous Materials and Mfg Informat				
Supplier Information															
Company Name *		Company Unique ID		Unique ID Au	uthority	Respo	onse Date	* *	Res	ponse Do	cument ID				
TTM Technologies						2024-	03-26								
Contact Name * Title - Contact				Phone - Contact *			- Contac	t *							
Brian Dallos Project Engineer				315-233-5510			Dallos@	ttm.com		Duplicate	e Contact ->	Authorize	d Representative		
Authorized Representative * Title - Representative			Phone - Representative *			Email - Representative *			Supplier Comments or URL for Additional Information						
Brian Dallos		Project Engineer		315-233-551	0	Brian.	Dallos@	ttm.com							
Requester Item Number		Mfr Item Number		Mfr Item Name	Effectiv	ve Date	Version	Manufactu	ing Site	Weight *	UOM	Unit Type			
XC06		XC0600B-03S		90 deg Hybrid	d Coupler	2024-0	03-26	Α	East Syra	cuse	4.2425178	g	Each		
Alternate Recommenda	ation						Alternate Ite			m Comments					
Manufacturing Proces	ss In	formation		,											
Terminal Plating / Grid Array I	Mater	ial	Terminal B	ase Alloy	J-STD-020 MSL R	ating	Peak Proc	ess Body	Temperatur	e Max Time	at Peak Tempe	rature Nun	nber of Reflow Cycles		
Tin (Sn) - immersion CU Alloy				<u>'</u>	1		260				30 seco	onds 3			
Comments Compliant to RoHS 2 Dir	ectiv	re 2011/65/EU of the	Europear	n Parliament	and of the Coun	cil of 8	June 201	1 and Co	ommissio	Delegate	d Directive 20	15/863/EU	J of 31 March 2015.		

Save the fields in this form to a file	Export Data	Import fields from a file into this form		Clear all of the fields on this form	Reset Form	Lock the fields on this form to prevent changes	Lock Supplier Fields
RoHS Material Co	mposition Declaratio	n				Declaration Type *	Custom
		nit of 0.1% by mass (1000 PPM) ers (PBDE) and quantity limit of 0					ated Biphenyls (PBB),
DIBP). Supplier certifies that is a date that Supplier complet at Supplier may have relied thers, Supplier agrees that, a written agreement with response.	it gathered the information it provices this form. Supplier acknowledgon information provided by others it a minimum, its suppliers have prect to the identified part, the terms	dendum: Quantity limit of 0.1% by mass (100 des in this form concerning RoHS restrictive es that Company will rely on this certification in completing this form, and that Supplier movided certifications regarding their contribuand conditions of that agreement, including the Supplier provides in this form.	substances using a n in determining the nay not have indeper tions to the part, and	appropriate methods to ensur compliance of its products windently verified such informated those certifications are at I	re its accuracy and that such info with European Union member station. However, in situations whe least as comprehensive as the c	ormation is true and correct to the best ate laws that implement the RoHS Dire are Supplier has not independently veriful ertification in this paragraph. If the Con	of its knowledge and belief, as of ctive. Company acknowledges fied information provided by npany and the Supplier enter into
RoHS Declaration *	1 - Item(s) does not contain Ro	HS restricted substances per the definition	on above			Supplier Acceptance * Accep	oted
exemptions: If the declease and choose all ap		RoHS restricted substances per th	ne definition abo	ve except for defined	RoHS exemptions, then so	elect the corresponding respon-	se in the RoHS Declaration
Declaration Signa	iture						
nstructions: Comple	ete all of the required fie	lds on all pages of this form. S	elect the "Acce	epted" on the Suppli	er Acceptance drop-do	wn. This will display the sigr	nature area. Digitally sign

the declaration (if required by the Requester) and click on Submit Form to have the form returned to the Requester.

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	ı	tem/SubItem		Homogeneous	Weight	Unit of			Level	Substance Category			Substance	CAS	Exempt	vveignt	Unit of Measure	Tolerance		PPM
		Name		Material	o.g	Measure			2010.				Gubotanoo	5,10	Zxompt			-	+	
+I	-I X	(C0600B-03S Rev A	+M -M	Copper Plating	0.66536	i g	+C	-C	Supplier	Copper (Cu)	+S	-S	Copper (Cu)	7440-50-8		0.665365	g			1,000,0
			+M -M	Tin Plating	0.001359	g	+C	-C	Supplier	Tin (Sn)	+S	-S	Tin (Sn)	7440-31-5		0.001359	g			1,000,0
			+M -M	Dielectric	3.371723	3 g	+C	-C	Supplier	Titanium dioxide (TiO	+S	-S	Titanium dioxide (TiO2)	13463-67-7		0.144646	g			42,900
							+C	-c	Supplier	Silica Fused (SiO2)	+S	-S	Silica Fused (SiO2)	60676-86-0		1.838600	g			545,30
							+C	-c	Supplier	Polytetrafluoroethyle	+S	-S	Polytetrafluoroethylene	9002-84-0		1.378360	g			408,80
							+C	-C	Supplier	Proprietary/Unknown	+S	Ş	Proprietary/Unknown	Proprietary		0.010115	g			3,000
			+M -M	Prepreg	0.204069	g	+C	-C	Supplier	Tetrafluoroethylene h	+S	-S	Tetrafluoroethylene hex	25067-11-2		0.204069	g			1,000,0